Bartter Enterprises Pty Limited Hawthorne St, Beresfield NSW 2322 EPL: 1329

Monthly Summary Published January. 2016 6/02/2016

Licence condition M2.2 Discharge to waters effluent quality monitoring results EPA identification point no. 1

Date Sampled	Date obtained	Monitoring frequency	Pollutant	Units	Analysis result	100 percentile concentration limit	Exceedance (Y/N)
			Potential				
5/01/2016	3/02/2016	Fortnightly	Hydrogen	рН	7.99	6.5 - 8.5	N
5/01/2016	3/02/2016	Fortnightly	Total Suspended Solids	mg/L	31	100	N
5/01/2016	3/02/2016	Fortnightly	Biochemical Oxygen Demand	mg/L	29	80	N
F /01 /2016	2/02/2016	Fortnightly	Temperature	degrees Celsius	22	30	N
5/01/2016	3/02/2016	Fortnightly	Nitrogen	Ceisius	22	30	N
5/01/2016	3/02/2016	Fortnightly	Ammonia	mg/L	195	-	N
5/01/2016	3/02/2016	Fortnightly	Total Nitrogen	mg/L	204	-	N
5/01/2016	3/02/2016	Fortnightly	Total Phosphorus	mg/L	56.2	-	N
19/01/2016	3/02/2016	Fortnightly	Potential Hydrogen	PH	7.96	6.5 - 8.5	N
19/01/2016	3/02/2016	Fortnightly	Total Suspended Solids	mg/L	63	100	N
19/01/2016	3/02/2016	Fortnightly	Biochemical Oxygen Demand	mg/L	29	80	N
19/01/2016	3/02/2016	Fortnightly	Temperature	degrees Celsius	25	30	N
19/01/2016	3/02/2016	Fortnightly	Nitrogen Ammonia	mg/L	180	-	N
19/01/2016	3/02/2016	Fortnightly	Total Nitrogen	mg/L	192	-	N
19/01/2016	3/02/2016	Fortnightly	Total Phosphorus	mg/L	35	-	N

Licence condition M6.1 Daily discharge flows to water

EPA identification point no. 1 olume/Mass Monitoring kL/day) imit (kL/day) Exceedance (Y/N) frequency Date 1/01/2016 Continuous 2095.71 Ν 2300 2/01/2016 Continuous 1591.87 2300 Ν 3/01/2016 Continuous 1103.78 2300 Ν 4/01/2016 Continuous 1703.52 2300 Ν 2300 5/01/2016 Continuous 2262.25 Ν 6/01/2016 Continuous 1786.31 2300 Ν 7/01/2016 Continuous 8/01/2016 Continuous 2254.56 2300 Ν 2174.87 2300 Ν 9/01/2016 Continuous 2254.59 2300 Ν 10/01/2016 Continuous 2261.12 2300 Ν 2300 2300 11/01/2016 Continuous 2202.85 Ν 2244.10 12/01/2016 Continuous Ν 13/01/2016 Continuous 2203.06 2300 Ν 14/01/2016 Continuous 2230.87 2300 Ν 15/01/2016 Continuous 2210.79 2300 Ν 16/01/2016 Continuous 2298.20 2300 Ν 17/01/2016 Continuous 2276.65 Ν 2300 2300 2300 18/01/2016 Continuous 2295.63 Ν 2180.94 19/01/2016 Continuous Ν 20/01/2016 Continuous 2094.32 2300 Ν 21/01/2016 Continuous 2107.71 2300 Ν 22/01/2016 Continuous 23/01/2016 Continuous 2202.54 2173.28 2300 Ν 2300 Ν 24/01/2016 Continuous 2210.98 2300 Ν 25/01/2016 Continuous 2231.84 2300 Ν 2228.88 2078.64 2300 2300 26/01/2016 Continuous Ν 27/01/2016 Continuous Ν 28/01/2016 Continuous 2222.99 2300 Ν 29/01/2016 Continuous 1976.19 2300 Ν 30/01/2016 Continuous 2300 2154.88 Ν 31/01/2016 Continuous 2265.58 2300 Ν