TANGARATTA STOCKFEEDS PTY LIMITED 771 WALLAMORE ROAD, WALLAMORE NSW 2340 **EPL 2775**

NOISE COMPLIANCE MONITORING SEPTEMBER 2019

Report received: 27th September 2019 Attended monitoring: 1rd – 4th September 2019

Licence Condition L2.1

Noise generated from the premises must not exceed the noise limits in the table below.

Locality and Location	Day LAeq (15 min)	Evening LAeq (15 min)	Night LAeq (15 min)	Night LA1 (1 min)
Location 1: Nearest affected residence known as "Rosebank" located at Lot 22 in DP.733610 on Wallamore Road, Tamworth	38	37	35	45
Location 2: Any other affected residence	38	37	35	45



Licence Condition M4.1

Compliance outlined above

Table 1: Measured Noise Levels September 2019

Time	Date	L1	L90	Leq	Audible Noise		
DAY							
14:30	1/09/19	72.5	41.5	61.0	5,8,7,14,1		
Tangaratta	angaratta L90 = <37 Tangaratta Leq = <38 #		Tangaratta L1 = N/A				
08:30	2/09/19	75.5	43.5	66.5	8,5,7,13,1		
Tangaratta	a L90 = <36 #	Tangarat	Tangaratta Leq = <38 #		Tangaratta L1 = N/A		
08:30	3/09/19	69.5	41.0	64.0	5,8,7,13,1		
Tangaratta	a L90 = <37 #	Tangarat	ta Leq = <38 #	# Tangaratta L1 = N/A			
EVENING							
20:15	1/09/19	71.0	35.5	49.5	7,12,19,1		
Tangaratta	a L90 = 37	Tangarat	Tangaratta Leq = 37		Tangaratta L1 = N/A		
19:30	2/09/19	65.5	39.5	56.0	8,7,5,15,3,1		
Tangaratta	a L90 = 35	Tangarat	Tangaratta Leq = 37		Tangaratta L1 = N/A		
20:00	3/09/19	68.0	40.0	51.5	8,7,6,5,1		
Tangaratta	a L90 = 36	= 36 Tangaratta Leq = 36		Tanga	Tangaratta L1 = N/A		
NIGHT							
23:00	1/09/19	57.5	34.5	37.0	12,10,25,2		
Tangaratta	a L90 = 34	Tangarat	Tangaratta Leq = 34		Tangaratta L1 = <45		
01:15	3/09/19	59.0	35.6	39.2	1,2,25		
Tangaratta	a L90 = 34	Tangarat	Tangaratta Leq = 35		Tangaratta L1 = <45		
02:00	4/09/19	61.5	34.2	36.8	7,10,12,25		
Tangaratta L90 = 35		Tangarat	Tangaratta Leq = 36		Tangaratta L1 = <45		

Criteria: Day = 38dB(A), Leq (15mln), Evening = 37dB(A), Leq (15mln), Night = 35dB(A), Leq (15mln) & 45dB(A), L1 (15mln), # Difficult to confirm due to extraneous noise contributions from birds, continuous activities at Rosebank mill, etc.

Legend of Noise sources (See Tables):

- Tangaratta mill
 Truck Tangaratta mill
- Birds
- Car Wallamore Rd
 Irrigation pump
- 11. Farm activities
- Rosebank mill
- 15. Tractor, vehicle in nearby paddock
- 17. Cars at Rosebank
- Reverse beeps Tangaratta
- Motorbike Wallamore Rd
- Dog barking
- 25. Distant cars Oxley Highway

- Insect, frogs, crickets, etc
 Augers rear Tangaratta mill
- 6. Truck Tangaratta mill road
- 8. Truck Wallamore Rd
- 10. Activities at dairy
- 12. Livestock
- 14. Aeroplane
- 16. Wind on mic
- 18. Truck at Rosebank
- Event adjacent microphone (unidentified)
- 22. Helicopter
- Car/start engine adjacent to logger.

DISCUSSION AND CONCLUSION

Results of our attended noise surveys confirm that noise emissions from the Tangaratta site are compliant with the criteria during all time periods at the Rosebank residence. A minor exceedance of 0.7db(A) was recorded during the night on 4 September, however, compliance is implied, given the monitoring location is closer to noise sources at the Tangaratta site than the Rosebank residence.

It should be acknowledged that the 3 month night truck trial at the Tangaratta feedmill had ceased prior to our September surveys.

Only estimates of noise contributions from the Tangaratta site were possible during the day, as birds and the Rosebank mill dominated the acoustic environment. In saying this, our observations and subjective assessment do confirm that the Tangaratta plant was operating below the criteria during the day