

**Bartter Enterprises Pty Limited**

EPL - 2486

**Bartter Processing Plant**

Farm 124 Murphy Road, Hanwood NSW 2680

**Waste Water treatment Plant**

Farm 126 McGann Road &amp; Murrumbidgee Avenue, Hanwood NSW 2680

Yearly Summary                      February,2022  
 Published                                11/04/2022

**Licence condition M2.2: Groundwater Monitoring Requirements**

| Date Sampled | Date Results Received | Monitoring frequency | Pollutant               | Units  | EPA identification point |                    |                    |                    |                               |
|--------------|-----------------------|----------------------|-------------------------|--------|--------------------------|--------------------|--------------------|--------------------|-------------------------------|
|              |                       |                      |                         |        | no. 13<br>P1A @ 5m       | no. 14<br>P2A @ 5m | no. 15<br>P3A @ 5m | no. 16<br>P4A @ 5m | no. 17<br>P5A @ 5m<br>CONTROL |
| 25/02/2022   | 8/04/2022             | Yearly               | Depth                   | meters | Dry                      | 4.6                | 1.6                | 3.5                | 2.2                           |
| 25/02/2022   | 8/04/2022             | Yearly               | Electrical Conductivity | µs/cm  |                          | 2630               | 3600               | 19700              | 1810                          |
| 25/02/2022   | 8/04/2022             | Yearly               | Nitrogen (Nitrate)      | mg/L   |                          | <0.1               | 11.3               | 226                | 15.2                          |
| 25/02/2022   | 8/04/2022             | Yearly               | pH                      | pH     |                          | 7.2                | 7.7                | 7.4                | 7.9                           |
| 25/02/2022   | 8/04/2022             | Yearly               | Total Phosphorous       | mg/L   |                          | <0.01              | <0.01              | 0.23               | <0.01                         |
| 25/02/2022   | 8/04/2022             | Yearly               | Potassium (dissolved)   | mg/L   |                          | 40.1               | 34.9               | 96.4               | 11.6                          |
| 25/02/2022   | 8/04/2022             | Yearly               | Sodium (dissolved)      | mg/L   |                          | 432                | 705                | 1440               | 391                           |